EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	backup encryptor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:41
L2	186	(backup or back-up or back up) near3 (encrypt\$4 or encod\$4) near3 (function or module or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:42
L3	53	(backup or back-up or back up) near3 (encrypt\$4 or encod\$4) near3 (function or module or device or machine) and (@Had="20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:42
L4	1	(backup or back-up or back up) with (encrypt\$4 or encod\$4) with (multiple or pluralty of more than one) with (fail\$4) and (@rlad<"20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:47
L5	195	(encrypt\$4 or encod\$4) with (multiple or pluralty of more than one) with (fail\$4) and (@rlad<"20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:47
L6	22	(encryptor or encoder) with (multiple or pluralty of more than one) with (fail\$4) and (@rlad<"20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:48
L7	2	(encrypt\$4 near2 (device or module or function or machine or unit)) with (multiple or plurality of more than one) with (fail\$4) and (@rlad<"20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:50

L8	12	(encrynt\$4 near2 (device or module or function or machine or unit)) with (multiple or plurality of more than one) with (fail\$4 or down or "not" work\$4 or error or unavailab\$5) and (@rlad<"20030827" or @ad<"20030827")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:52
L9	8	(encrypt\$4 near2 (device or module or function or machine or unit)) with (multiple or plurality of more than one or second or additional) with (backup or back-up) and (@rlad<"20030827" or @ad<"20030827")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:52
L10	1475	(back-up or backup or back up)(function or module or device or unit or machine) with (fail\$4 or missing or error or unavailab\$5 or down or "not" working) and (@rlade"20030827")	US-PGPUB; USPAT; USPOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:55
L11	40	(back-up or backup or back up) (function or module or device or unit or machine) with (fail\$4 or missing or error or unavailab\$5 or down or "not" working) with (benefi\$4 or advantag\$5) and (@rlack="20030827" or @ad<"20030827")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/24 07:55
L12	21	(back-up or backup or back up) (function or module or device or unit or machine) with (fail\$4 or missing or error or unavailab\$5 or down or "not" working) with (benefi\$4 or advantageous or necessary) and (@rlad-"20030827" or @ad-"20030827")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	OS	2011/02/24 07:56

L13 1	(back-up or back-up) (function or module or device or unit or machine) with (fail\$4 or missing or error or unavailab\$5 or down or "not" working) with (benefi\$4 or advantageous or necessary) and (@ilad<"20030827" or @ad<"20030827") and (encryut\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2011/02/24 07:57
-------	---	---	-----	----	---------------------

2/24/2011 8:12:58 AM

C:\ Documents and Settings\ Ilewis1\ My Documents\ EAST\ Workspaces\ 10570038.wsp